

STEVENS POINT AREA PHENOLOGICAL SUMMARY ARRANGED BY EARLIEST FLOWERING DATES up to 2014

(rearranged and slightly updated by Bob Freckmann from a spread-sheet by Emmet Judziewicz)

January

- 27 *Poa annua*, annual bluegrass**, 2000; *Stellaria media***, common chickweed, 2000.

February

- 17 *Symplocarpus foetidus*, skunk-cabbage, 2012.
29 *Galanthus nivalis*, snowdrops*, 2000.

March

- 5 *Taraxacum officinale*, dandelion**, 2012.
7 *Acer saccharinum*, silver maple, 2000; *Alnus incana*, tag alder, 2000; *Capsella bursa-pastoris*, shepherd's-purse**, 2010; *Corylus americana*, American hazelnut, 2000; *Senecio vulgaris*, common groundsel**, 2010, 2012; *Shepherdia argentea*, buffaloberry*, 1986.
10 *Adonis vernalis*, pheasant's-eye*, 1999.
11 *Cardamine hirsuta*, bristly spring-cress,* 2012; *Erodium cicutarium*, stork's-bill**, 2012.
13 *Crocus vernus*, crocus*, 2012.
14 *Alnus glutinosa*, European black alder*, 2012; *Dirca palustris*, leatherwood, 2012; *Medicago lupulina*, black medick**, 2010; *Populus deltoides*, cottonwood, 2010; *Scleranthus annuus*, annual knawel**, 2010.
15 *Alliaria petiolata*, garlic mustard**, 2012;
16 *Acer rubrum*, red maple, 2012; *Oxalis stricta*, yellow wood-sorrel**, 2012; *Populus tremuloides*, quaking aspen, 2012; *Thlaspi arvense*, field pennycress**, 2010, 2012.
17 *Narcissus pseudo-narcissus*, daffodil*, 2012; *Ulmus americana*, American elm, 2012.
18 *Anemone patens*, American pasque-flower, 2012; *Buxus microphylla*, Japanese boxwood*, 2012.
19 *Aesculus flava*, yellow buckeye*, 2012;
21 *Anemone acutiloba*, sharp-lobed hepatica, 2012; *Carex pedunculata*, long-stalked sedge, 2012.
22 *Draba dedeana*, Pyrenees draba*, 2012; *Luzula acuminata*, common wood-rush, 2012; *Magnolia kobus*, Kobushi magnolia*, 2012; *Magnolia stellata*, star magnolia*, 2012; *Sanguinaria canadensis*, bloodroot, 2012.
23 *Acer negundo*, box elder, 2012; *Acer platanoides*, Norway maple**, 2012; *Carex plantaginea*, plantain-leaved sedge, 2012; *Cornus mas*, Cornelian cherry*, 2012; *Dicentra cucullaria*, Dutchman's breeches, 2012; *Geum triflorum*, prairie-smoke, 2012; *Hyacinthus orientalis*, hyacinth*, 2012; *Lamium amplexicaule*, henbit**, 2012.

- 2012; *Muscari botryoides*, grape-hyacinth*, 2012; *Salix discolor*, pussy willow, 2012; *Vinca minor*, lesser periwinkle**, 2012; *Viola sororia*, common blue violet, 2012.
- 24** *Carex tonsa*, hidden-seeded sedge, 2012; *Chamaedaphne calyculata*, leatherleaf, 2012; *Chionodoxa luciliae*, glory-of-the-snow*, 2012; *Magnolia × soulangeana*, saucer magnolia*, 2012; *Prunus tomentosa*, Nanking cherry*, 2012; *Pyrus calleryana*, Callery pear*, 2012; *Ribes triste*, swamp red currant, 2012.
- 25** *Asarum canadense*, wild ginger, 2012; *Betula lenta*, sweet birch*, 2012; *Carex pensylvanica*, Pennsylvania sedge, 2012; *Carex sprengelii*, Sprengel's sedge, 2012; *Enemion biternatum*, false rue-anemone, 2012; *Epigaea repens*, trailing arbutus, 2012; *Erythronium albidum*, white trout-lily, 2012; *Fraxinus pennsylvanica*, green ash, 2012; *Helleborus niger*, hellebore*, 2012; *Ostrya virginiana*, ironwood, 2012; *Pachysandra terminalis*, Japanese pachysandra*, 2012; *Poa pratensis*, Kentucky bluegrass, 2012; *Tulipa sylvestris*, common tulip*, 2012; *Veronica peregrina*, wandering speedwell**, 2012.
- 26** *Allium schoenoprasum*, chives*, 2012; *Cornus stolonifera*, red-osier dogwood, 2012; *Dicentra spectabilis*, showy bleeding-heart*, 2012.
- 27** *Trillium nivale*, snow trillium*, 1998.
- 28** *Amelanchier arborea*, downy Juneberry, 2012; *Anemone vulgaris*, European pasque-flower*, 2012; *Arabis androsace*, alpine rock-cress*, 2012; *Berteroia incana*, hoary alyssum*, 2012.
- 29** *Allium giganteum*, giant onion*, 2012; *Androsace occidentalis*, rock jasmine*, 2010; *Chaenomeles japonica*, flowering quince*, 2012; *Euphorbia cyparissias*, cypress spurge**, 2012.
- 30** *Bergenia cordifolia*, pigsqueak*, 2012; *Oryzopsis asperifolia*, rough-leaved rice-grass, 2012; *Ranunculus rhomboideus*, prairie buttercup, 2010.
- 31** *Antennaria neglecta*, narrow-leaved pussy-toes, 2012; *Cerastium fontanum*, mouse-ear chickweed**, 2010; *Corydalis solida*, spring fumitory*, 2012; *Corylus cornuta*, beaked hazelnut, 2012; *Potentilla verna*, spring cinquefoil*, 2010; *Viola labradorica*, dog violet, 2012.

April

- 1** *Anemone americana*, blunt-lobed hepatica, 2012; *Anemone quinquefolia*, wood anemone, 2012; *Arabidopsis lyrata*, lyre-leaved rock-cress, 2012; *Carpinus caroliniana*, musclewood, 1999; *Claytonia virginica*, Virginia spring-beauty, 2012; *Comptonia peregrina*, sweet-fern, 2012; *Lobularia maritima*, sweet alyssum*, 2012; *Malva neglecta*, cheeses**, 2012; *Mertensia virginica*, Virginia bluebells*, 2012; *Muscari latifolium*, wide-leaved grape-hyacinth*, 2012; *Vaccinium angustifolium*, early blueberry, 2012; *Viola tricolor*, pansy*, 2012.
- 2** *Cercis canadensis*, redbud*, 2012.
- 3** *Lonicera tatarica*, Tartarian honeysuckle**, 2012.
- 4** *Dianthus armeria*, Deptford pink**, 2012; *Erysimum cheiranthoides*, wormseed mustard**, 2010; *Erythronium americanum*, yellow trout-lily, 2012; *Glechoma hederacea*, creeping-charlie**, 2010, 2012; *Ranunculus abortivus*, kidney-leaved buttercup, 2012; *Veronica arvensis*, field speedwell**, 2010.

- 5** *Caltha palustris*, marsh marigold, 2012; *Descurainia pinnata*, tansy mustard*, 2010.
- 6** *Ribes missouriense*, Missouri currant, 2012; *Sambucus racemosa*, red-berried elder, 2012; *Viola pubescens*, yellow violet, 2012.
- 7** *Barbarea vulgaris*, yellow rocket**, 2012; *Primula veris*, English primrose*, 2012; *Prunus americana*, wild plum, 2012; *Syringa vulgaris*, common lilac*, 2012; *Veronica persica*, bird's-eye speedwell*, 2012.
- 8** *Cardamine concatenata*, cut-leaved toothwort, 2012; *Carex blanda*, Eastern wood sedge, 2012; *Claytonia caroliniana*, Carolina spring-beauty, 2012; *Coptis trifolia*, goldthread, 2012; *Jeffersonia diphylla*, twinleaf, 2012; *Nepeta racemosa*, dwarf catnip*, 2012; *Prunus pensylvanica*, pin cherry, 2012; *Trillium grandiflorum*, large-flowered trillium, 2012; *Veronica sepplifolia*, thyme-leaved speedwell, 2012.
- 9** *Mitella diphylla*, bishop's-cap, 2012.
- 10** *Thalictrum dioicum*, early meadow-rue, 2012.
- 11** *Sibbaldiopsis tridentata*, three-toothed cinquefoil, 2010.
- 12** *Malus pumila*, apple**, 2012.
- 13** *Betula nigra*, river birch, 2012; *Lamiastrum galeobdon*, false dead-nettle**, 2012; *Polemonium reptans*, Jacob's-ladder, 2012; *Sibbaldiopsis alba*, white cinquefoil*, 2012.
- 14** *Fragaria virginiana*, wild strawberry, 2012; *Fritillaria camschatcensis*, black-lily*, 2012; *Phlox subulata*, moss phlox*, 2012; *Ribes sativum*, garden red currant*, 2012; *Scilla sibirica*, Siberian squill**, 2012; *Silene latifolia*, white campion**, 2012; *Tradescantia ohiensis*, Ohio spiderwort, 2012; *Viola adunca*, hook-spur violet, 2012.
- 15** *Arisaema triphyllum*, jack-in-the-pulpit, 2012; *Berberis thunbergii*, Japanese barberry**, 2012; *Quercus ellipsoidalis*, Hill's oak; *Rumex acetosella*, sheep sorrel**, 2010; *Uvularia grandiflora*, large-flowered bellwort, 2012; *Viola canadensis*, Canada violet, 2012.
- 16** *Ribes americanum*, American black currant, 2012.
- 17** *Chelidonium majus*, celadine poppy**, 2012; *Chrysosplenium americanum*, golden-saxifrage, 1983; *Convallaria majalis*, lily-of-the-valley**, 2012; *Panax trifolius*, dwarf ginseng, 2012; *Ribes odoratum*, golden currant*, 2012; *Viburnum lantana*, wayfaring-tree*, 2012.
- 18** *Consolida ajacis*, knight's-spur*, 2010; *Myosotis scorpioides*, garden forget-me-not*, 2012; *Neviusia alabamensis*, Alabama snow-wreath*, 2012; *Prunus virginiana*, choke cherry, 2012; *Pulmonaria officinalis*, lungwort*, 2012; *Quercus bicolor*, swamp white oak, 2012.
- 19** *Lonicera canadensis*, Canada fly honeysuckle*, 2012; *Prunus padus*, bird cherry**, 2012; *Thalictrum thalictroides*, rue-anemone; *Viola blanda*, sweet white violet, 1976, 2010; *Viola macloskeyi*, small white violet, 2012.
- 20** *Caulophyllum thalictroides*, blue cohosh, 2012; *Galium verum*, true bedstraw**, 2010; *Halesia tetrapetala*, silver bell*, 2012; *Iberis umbellata*, candytuft*, 2012; *Kerria japonica*, Japanese yellow-rose*, 2012; *Ranunculus hispidus*, swamp buttercup, 2012; *Spiraea van-houttei*, bridal-wreath*, 2012; *Uvularia sessiliflora*, sessile-leaved bellwort, 1987, 2010.

- 22** *Aquilegia canadensis*, eastern columbine, 2010, 2012; *Aronia melanocarpa*, black-fruited chokeberry, 2012; *Carex bromoides*, brome sedge, 2012; *Poa alsodes*, woodland bluegrass, 2012.
- 23** *Ajuga reptans*, bugleweed*, 2012; *Cardamine douglassii*, purple spring-cress, 2010; *Euonymus europaeus*, European spindle-tree*, 2012; *Phlox divaricata*, woodland phlox, 2012.
- 24** *Betula platyphylla*, flat-leaved birch*, 2012; *Geranium maculatum*, wild geranium, 2012; *Matricaria discoidea*, pineapple-weed**, 2012; *Stellaria aquatica*, giant chickweed, 2012.
- 25** *Baptisia australis*, blue-flowered indigo*, 2010; *Cardamine diphylla*, two-leaved toothwort, 2012; *Kalmia polifolia*, bog laurel, 2012; *Lysichiton americanus*, western skunk-cabbage*, 2012; *Lysichiton camtschatcensis*, Asian skunk-cabbage*, 2012; *Polygala paucifolia*, fringed polygala, 2012.
- 26** *Crepis tectorum*, hawk's-beard**, 2012; *Salvia nemorosa*, woodland sage*, 2012; *Sorbus decora*, showy mountain-ash, 2012; *Zanthoxylum americanum*, prickly-ash**, 1977.
- 27** *Aquilegia caerulea*, Colorado blue columbine*, 2012; *Bromus tectorum*, cheat grass**, 2012; *Caragana arborescens*, Siberian pea-tree*, 2012; *Dicentra formosa*, Pacific bleeding-heart*, 2012; *Draba olympica*, Olympian draba*, 2012; *Lamium purpureum*, purple dead-nettle**, 2012; *Plantago major*, common plantain**, 2012; *Potentilla norvegica*, rough cinquefoil**, 2012; *Ribes glandulosum*, skunk currant, 2012; *Schizachne purpurascens*, purple false-melic, 2012; *Trillium cernuum*, nodding trillium, 2010.
- 28** *Viola sagittata*, arrow-leaved violet, 1987.
- 29** *Aquilegia saximontana*, Rocky Mountain columbine*, 2012; *Arenaria serpyllifolia*, thyme-leaved speedwell**, 2012; *Arisaema serratum*, Asian jack-in-the-pulpit*, 2012; *Calycanthus floridus*, Carolina allspice*, 2012; *Carex siccata*, hay sedge, 2012; *Centaurea cyanus*, bachelor buttons*, 2012; *Clematis x jackmanii*, Jackman's clematis*; *Cotoneaster lucida*, shiny cotoneaster*, 2012; *Epimedium grandiflorum*, bishop's hat*; *Euphorbia polychroma*, cushion spurge*, 2012; *Galium mollugo*, white bedstraw**, 2012; *Hydrastis canadensis*, goldenseal*, 2012; *Juglans cinerea*, butternut, 2012; *Potentilla simplex*, common cinquefoil, 2012; *Quercus palustris*, pin oak, 2012; *Ranunculus scleratus*, cursed buttercup, 2012; *Rhamnus cathartica*, European buckthorn**, 2012; *Rhamnus frangula*, glossy buckthorn**, 2012; *Rumex venosus*, wild-begonia*, 2012; *Sonchus asper*, prickly sow-thistle**, 2012; *Staphlea trifolia*, bladdernut, 2012; *Weigela floribunda*, weigela*, 2012; *Zizia aptera*, golden alexanders, 2012.
- 30** *Carex hirtifolia*, hairy wood sedge, 2012; *Carex radiata*, Eastern star sedge, 2012; *Acer ginnala*, Amur maple**, 2012; *Galium aparine*, cleavers, 2012; *Maianthemum canadense*, Canada mayflower, 2012; *Parietaria pensylvanica*, pellitory, 2012; *Quercus macrocarpa*, bur oak, 2012; *Tamarix parviflora*, tamarisk*, 2012; *Viburnum opulus*, highbush-cranberry*, 2012.

* = cultivated (planted in gardens or landscapes)

** = naturalized (not native in Stevens Point area, but often weedy)

