Health Behavior Determinants

A Summary of Health Behavior Determinant Components

Can Be Seen in Tables 5 and 6

Table 5

Health Behaviors

(40% of Health Determinants)

Weight in Health Determinant		Component	WI 2007	Waupaca County 2007 (Rank)	WI 2008	Waupaca County 2008 (Rank)	Healthiest Wisconsin 2010 Target
6%	Tobacco	Cigarette Smoking	22.3%	25.4% (53)	20.9%	23.2% (54)▲	12%
6%		Smoking during Pregnancy	14.1%	20.1% (47)	14.1%	20.1% (48)▼	1%
4%	Diet and Exercise	Physical Inactivity	46.8%	51.1% (39)	44.5%	43% (26)▲	20%
6%		Obesity	22.8%	66.1% (54)	24.1%	64.6% (43)▲	15%
3%		Less Than 5 a Day	77.9%	81.9% (52)	77.2%	80% (51)▲	25% <2 fruit 50% <3 veg
10%	Alcohol Use	Binge Drinking	24%	25.4% (43)	23.2%	24.7% (46)▲	6%
0.5%		Motor Vehicle Crash Occupancy per 1000	61	50.6 (47)	41.4	43.4 (45)▲	None
0.5%		Motor Vehicle Crash ER Visits On Road per 100,000	711.8	732 (59)	711.8	732.8 (59)▼	None
0.5%		Motor Vehicle Crash ER Visits Off Road (ATV, boating, snowmobile) per 100,000	90.7	162.4 (53)	90.7	162.4 (53)	None
1%	High-Risk Sexual Behavior	Teen Birth Rate per 1000 (Fe 15-19 y/o)	31.3	27.6 (41)	30.9	27.9 (45)▼	None
1%		Sexually Transmitted Diseases per 100,000	501	125.6 (16)	498	154.5 (23)▼	Only available for specific STDs
1.5%	Violence	Violent Crime per 100,000	224	70 (21)	240	74 (23)▼	None

Note: ▲ indicates improvement or ▼decline in rank or percent (numbers) or both from the previous year.
( ) indicates rank of 73 places in Wisconsin. A low number indicates a better rank.

Table 6

Health Behaviors by Quartile
(40% of Health Determinants)



*Because alcohol is a factor in many motor vehicle crashes on road and off road, these measures are a proxy for alcohol use while driving or operating an off-road vehicle and may also reflect the safety of the traffic system.